



KLINGER Fluid Control

» Gate

» Boiler Controls

» Globe

» Safety Devices

» Butterfly

» Ball & Plug

» Check

» Level Indication



GLOBAL LEADER

LOCAL PARTNER

KLINGER Fluid Control - Select the correct product for the job.

Exclusive to KLINGER South Africa:

The components of all KLINGER products are 100% original. In each of our products we use the most advanced technology to ensure the integrity of your plant. We have one of the largest portfolios in DIN and ANSI products for sealing and fluid control in the industry.



- » Comet
- » Cosmos
- » Condor


- » KLINGER
- » KSA
- » Slim



Proud Agents and Distributors for:

We source specific solutions for each application and each industry that help our clients achieve success in the present and also in the future. Our cutting-edge products, the know-how of our specialists and the proximity to our customers are key factors of our market focus.

- | | | | |
|-----------------|-----------|------------|------------|
| » Air Torque | » Donadon | » Krombach | » Stockham |
| » Bac | » DSS | » Orbinox | » VYC |
| » Bonney Forged | » Haitima | » Starline | » YDF |
| » Crane | » Itap | » STI | |



Please note size, pressure ratings and end connections are valve and spec-type dependent.

We are not limited to what you see. Speak to us for further options.



KLINGER Fluid Control

For any technical support contact us on
technical@klinger.co.za



KLINGER®

Zambia

Tel: +260 979 154 892

Email: zambiasales@klinger.co.za

Valve size in inches and mm	BS 10 TABLE "D"					BS 10 TABLE "E"					BS 10 TABLE "F"					BS 10 TABLE "H"					
	No of Holes	Hole Dia	P.C.D.	Flange O.D.	RF Dia	No of Holes	Hole Dia	P.C.D.	Flange O.D.	RF Dia	No of Holes	Hole Dia	P.C.D.	Flange O.D.	RF Dia	No of Holes	Hole Dia	P.C.D.	Flange O.D.	RF Dia	
1/2"	15	-4	14	67	95	-	4	14	67	95	-	4	14	67	95	-	4	17	83	114	57
3/4"	20	4	14	73	102	-	4	14	73	102	-	4	14	73	102	-	4	17	83	114	57
1"	25	4	14	83	114	-	4	14	83	114	-	4	17	87	121	-	4	17	87	121	64
1 1/4"	32	4	14	87	121	-	4	14	87	121	-	4	17	98	133	-	4	17	98	133	76
1 1/2"	40	4	14	98	133	-	4	14	98	133	-	4	17	105	140	-	4	17	105	140	83
2"	50	4	17	114	152	-	4	17	114	152	-	4	17	127	165	-	4	17	127	165	102
2 1/2"	65	4	17	127	165	-	4	17	127	165	-	8	17	146	184	-	8	17	146	184	114
3"	80	4	17	146	184	-	4	17	146	184	-	8	17	165	203	-	8	17	165	203	127
4"	100	4	17	178	216	-	8	17	178	216	-	8	17	191	229	-	8	17	191	229	152
5"	125	8	17	210	254	-	8	17	210	254	-	8	22	235	279	-	8	22	235	279	178
6"	150	8	17	235	279	-	8	22	235	279	-	12	22	260	305	-	12	22	260	305	210
8"	200	8	17	292	337	-	8	22	292	337	-	12	22	324	368	-	12	22	324	368	260
10"	250	8	22	356	406	-	12	22	356	406	-	12	25	381	432	-	12	25	381	432	311
12"	300	12	22	406	457	-	12	25	406	457	-	16	25	438	489	-	16	25	438	489	362
14"	350	12	25	470	527	-	12	25	470	527	-	16	29	495	552	-	16	29	495	552	419
16"	400	12	25	521	578	-	12	25	521	578	-	20	32	552	610	-	20	29	552	610	483
18"	450	12	25	584	641	-	16	25	584	641	-	20	32	610	673	-	20	32	610	673	533
20"	500	16	25	642	705	-	16	25	642	705	-	24	32	673	737	-	24	32	673	737	597
24"	600	16	29	756	826	-	16	32	756	826	-	24	35	781	851	-	24	35	781	851	699

Valve size in inches and mm	BS 4504 TABLE 10					BS 4504 TABLE 16					BS 4504 TABLE 25					BS 4504 TABLE 40					
	No of Holes	Hole Dia	P.C.D.	Flange O.D.	RF Dia	No of Holes	Hole Dia	P.C.D.	Flange O.D.	RF Dia	No of Holes	Hole Dia	P.C.D.	Flange O.D.	RF Dia	No of Holes	Hole Dia	P.C.D.	Flange O.D.	RF Dia	
1/2"	15	4	14	65	95	45	4	14	65	95	45	4	14	65	95	45	4	14	65	95	45
3/4"	20	4	14	75	105	58	4	14	75	105	58	4	14	75	105	58	4	14	75	105	58
1"	25	4	14	85	115	68	4	14	85	115	68	4	14	85	115	68	4	14	85	115	68
1 1/4"	32	4	18	100	140	78	4	18	100	140	78	4	18	100	140	78	4	18	100	140	78
1 1/2"	40	4	18	110	150	88	4	18	110	150	88	4	18	110	150	88	4	18	110	150	88
2"	50	4	18	125	165	102	4	18	125	165	102	4	18	125	165	102	4	18	125	165	102
2 1/2"	65	4	18	145	185	122	4	18	145	185	122	8	18	145	185	122	8	18	145	185	122
3"	80	8	18	160	200	138	8	18	160	200	138	8	18	160	200	138	8	18	160	200	138
4"	100	8	18	180	220	158	8	18	180	220	158	8	22	190	235	162	8	22	190	235	162
5"	125	8	18	210	250	188	8	18	210	250	188	8	26	220	270	188	8	26	220	270	188
6"	150	8	22	240	285	212	8	22	240	285	212	8	26	250	300	218	8	26	250	300	218
8"	200	8	22	295	340	268	12	22	295	340	268	12	26	310	360	278	12	30	320	375	285
10"	250	12	22	350	395	320	12	26	355	405	320	12	30	370	425	335	12	33	385	450	345
12"	300	12	22	400	445	370	12	26	410	460	378	16	30	430	485	395	16	33	450	515	410
14"	350	16	22	460	505	430	16	26	470	520	438	16	33	490	555	450	16	36	510	580	465
16"	400	16	26	515	565	482	16	30	525	580	490	16	36	550	620	505	16	39	585	660	535
18"	450	20	26	565	615	532	20	30	585	640	550	20	36	600	670	555	20	39	610	685	560
20"	500	20	26	620	670	585	20	33	650	715	610	20	36	660	730	615	20	42	670	755	615
24"	600	20	30	725	780	685	20	36	770	840	725	20	39	770	845	720	20	48	795	890	735

Valve size in inches and mm	ANSI 150					ANSI 300					ANSI 600					ANSI 900/1500					
	No of Holes	Hole Dia	P.C.D.	Flange O.D.	RF Dia	No of Holes	Hole Dia	P.C.D.	Flange O.D.	RF Dia	No of Holes	Hole Dia	P.C.D.	Flange O.D.	RF Dia	No of Holes	Hole Dia	P.C.D.	Flange O.D.	RF Dia	
1/2"	15	4	16	60	89	35	4	16	67	95	35	4	16	67	95	35	4	22	83	121	35
3/4"	20	4	16	70	98	43	4	19	83	117	43	4	19	83	117	43	4	22	89	130	43
1"	25	4	16	79	108	51	4	19	89	124	51	4	19	89	124	51	4	25	102	149	51
1 1/4"	32	4	16	89	117	64	4	19	98	133	64	4	19	98	133	64	4	25	111	159	64
1 1/2"	40	4	16	98	127	73	4	22	114	156	73	4	22	114	156	73	4	29	124	178	73
2"	50	4	19	121	152	92	8	19	127	165	92	8	19	127	165	92	8	25	165	216	92
2 1/2"	65	4	19	140	178	105	8	22	149	191	105	8	22	149	191	105	8	29	191	244	105
3"	80	4	19	152	191	127	8	22	168	210	127	8	22	168	210	127	8	29	191	244	105
4"	100	8	19	191	229	157	8	22	200	254	157	8	25	216	273	157	8	29	229	286	157
5"	125	8	22	216	254	186	8	22	235	279	186	8	29	267	330	186	8	29	267	330	186
6"	150	8	22	241	279	216	12	22	270	318	216	12	29	292	356	216	12	29	292	356	216
8"	200	8	22	298	343	270	12	25	330	381	270	12	32	349	419	270	12	32	349	419	270
10"	250	12	25	362	406	324	16	29	387	445	324	16	35	432	508	324	16	35	432	508	324
12"	300	12	25	432	483	381	16	32	451	521	381	20	35	489	559	381	20	35	489	559	381
14"	350	12	29	476	533	413	20	32	514	584	413	20	38	527	603	413	20	38	527	603	413
16"	400	16	29	540	597	470	20	35	571	648	470	20	41	603	686	470	20	41	603	686	470
18"	450	16	32	578	635	533	24	35	629	711	533	20	44	654	743	533	20	44	654	743	533
20"	500	20	32	635	699	584	24	35	689	775	584	24	44	724	813	584	24	44	724	813	584
24"	600	20	35	749	813	692	24	41	812	914	692	24	51	838	940	692	24	51	838	940	692

Adjacent "TABLES" with colour shading in the same row indicates identical dimensions.

