



KLINGER Pipe Products

» Couplings & Flange Adaptors
» Pipe Repairs & Pipe Fittings

» Bellows & Strainers
» Tap In Products




GLOBAL LEADER

LOCAL PARTNER

KLINGER Pipe Products - Select the correct product for the job.



POLYGRIP COUPLING
DN63mm - DN315mm
Up to PN16
HDPE and PVC pipe



LARGE DIAMETER POLYGRIP
DN350mm - DN600mm
Up to PN16
HDPE pipe and Steel pipe



EVOGRIP COUPLING
DN110mm and DN160mm
Up to PN16
Cost effective restrained joints for HDPE and PVC pipe



G-FLEX GRIPPER COUPLING
DN20mm - DN350mm
Up to PN30

RESTRAINED COUPLINGS

For plastic and metallic pipe. Join plain ended pipes providing full axial restraint. Thereby preventing the pipework from pulling apart.

No need for pipe anchors, thrust blocks or pipe restraint by other means. Saving time and money.



DISMANTLING JOINT
DN40mm - DN3000mm
Up to PN40
For all flanged pipes



ENERSEAL DISMANTLING JOINT
DN50mm - DN1000mm
Up to PN25
Fast installation for all flanged pipes



RUBBER EXPANSION BELLOWS
DN20mm - DN600mm
Up to PN16
For all flanged pipes

DISMANTLING JOINTS

For valve installations and future valve maintenance offering easy installation adjustment.

RUBBER BELLOWS

For absorbing vibration, compensating for pipe movement.



REPAIR COLLAR
DN40mm - DN3000mm
Up to PN40
For all bell & spigot pipes

REPAIR COLLAR

For the repair of leaking bell and spigot joints, AC collars and couplings. No need to dig up and disturb the pipe. Simply install around the leaking joint.



SNAP CLAMP
DN15mm - DN50mm
PN16
PVC, steel, copper pipe



JUNIOR REPAIR CLAMP
DN15mm - DN50mm
PN16
PVC, steel, copper pipe



ULTRA CLAMP
DN40mm - DN1200mm
Up to PN16
All rigid pipes

ULTRA CLAMP SERIES

For rapid and permanent repair of damaged pipes including: corrosion pitting / impact damage / cracks

These products should not be used for joining pipes as they do not accommodate pipe misalignment or angular deflection.

G-FLEX REPAIR

For the repair of large diameter and pressure pipes. These products can be used to join pipes as they can accommodate pipe misalignment and angular deflection.




G-FLEX REPAIR
DN350mm - DN2500mm
Up to PN30
All rigid pipes


POLYGRIP ADAPTOR
DN63mm - DN315mm
Up to PN16
HDPE and PVC pipe



LARGE DIAMETER POLYGRIP
DN350mm - DN600mm
Up to PN16. HDPE pipe



RESTRAINED FLANGE ADAPTOR
DN50mm - DN2000mm
Up to PN64. Steel pipe



RESTRAINED ADAPTORS

Join plain ended pipe to flanged pipe providing full axial restraint. Thereby preventing the pipework from pulling apart. No thrust blocks required.

UNIFIT ADAPTORS
DN40mm - DN600mm
PN10/16
Universal flange drilling



FLANGE ADAPTORS
DN40mm - DN3000mm
Up to PN64
For all rigid pipes



ENERSEAL ADAPTORS
DN315mm - DN1000mm
Up to PN25
PVC pipe



FLANGE ADAPTORS

Cost effective rapid connection of plain ended pipes to flanged pipes. Universal drilling and special request drilling available.



UNIFIT COUPLING
DN40mm - DN600mm
Up to PN64
Wide range. All rigid pipe



LONG BARREL COUPLING
DN40mm - DN3000mm
Up to PN64
All rigid pipe



LARGE DIA. COUPLING
DN650mm - 3000mm
Up to PN64
All rigid pipe materials



STEP COUPLING
DN40mm - DN3000mm
Up to PN64
All rigid pipe materials



END CAP
DN40mm - 3000mm
Up to PN64
All rigid pipe materials

JUNIOR COUPLING
DN15mm - DN50mm
Up to PN40
Steel pipe



DEDIFIT COUPLING
DN40mm - DN400mm
Up to PN16
Dedicated PVC and steel pipe



SHORT COLLAR PIPE COUPLING
DN50mm - DN300mm
Up to PN16
Fibre cement pipe



G-FLEX INSTALL COUPLING
DN15mm - DN2500mm
Up to PN16
All pipe



LP COUPLING
DN280mm - DN3000mm
Low pressure structured wall pipe



COMPLETE RANGE OF PIPE COUPLING PRODUCTS: For specialized and standard plain ended pipe connections.



STEEL SOCKETED FITTINGS
DN40mm - DN1600mm
Up to PN40
Socketed fittings for all pipe




HALF COUPLINGS FOR FITTINGS

Manufactured and sold ready for welding to fabricated fittings at customer facilities.



ENERSEAL FITTINGS
DN315mm - DN1000mm
Up to PN25
Boltless socketed fittings for PVC pipe



UNDER PRESSURE DRILL KIT - UPD
Complete a live tap into an operational pipeline by utilizing a suitable saddle and valve.



UPD
DN15mm - DN150mm
Drilling heads up to PN25

DI SADDLE FOR PVC PIPE
DN63mm - DN200mm
Up to PN25
DN25mm - DN50mm outlet



BUFFALO SADDLE - SINGLE STRAP
DN50mm - DN600mm
Up to PN20
DN20mm - DN50mm outlet



BUFFALO SADDLE - DOUBLE STRAP
DN125mm - DN600mm
Up to PN16
DN20mm - DN100mm outlet




BOLT ON PIPE SADDLES

Available for all types of rigid pipe materials.

The range covers outlets from 8mm up to 100mm BSP and flanged.



G-FLEX REPAIR
DN20mm - DN350mm
Up to PN30
All rigid pipes



EASI TEE
DN150mm - DN600mm
Up to PN25
DN25mm - DN250mm outlet



ULTRA SADDLE
DN50mm - DN350mm
Up to PN16
DN15mm - DN50mm outlet



TABLE OF POPULAR PIPE SIZES

NB	STEEL	DI	PVC / HDPE	AC - ASBESTOS CEMENT PIPE FC - FIBRE CEMENT PIPE						GRP				FLOW-TITE	
				COD	CID CLASS					VECTUS CLASS					
					6	12	18	24	30	36	6	10	16		20
40	48.3		40												
50	60.3		50	69											
65	76.1		63	82											
75			75												
80	88.9	98	90	96											
100	114.3	118	110	122											
125	139.7		125	150											
140			140												
150	165.1	170	160	177		168	174	180	188	196					
175	193.7			205											
200	219	222	200	232		222	229	239	250	262					
225	244			259											
250	273	274	250	286		274	284	295	304	318	258	258	260	262	
300	324	326	315	345		328	340	353	365	378	309	309	311	314	327
350	356	378	355	426	378	382	396	412	426	440	359	360	363	365	379
400	406	429	400	453	430	436	450	468	484	503	409	410	414	417	413
450	457	480	450	507	483	488	506	524	545	566	549	462	466	470	464
500	508	532	500	560	535	543	560	583	606	629	510	511	517	521	515
525				587											
550	559			614							561	563	569	573	
600	610	635	630	667	638	651	672	699	727	755	612	614	620	624	617
650	660			720							662	665	672		
700	711	738	710	773	744	760	784	816	848		712	716	723		719
750	762			826							762	767	775		
800	813	842	800	879	850	868	896	935	969		813	818	826		821
850	864										864	868	878		
900	914	945	900	985	956	976	1008	1048			815	919	929		923
950	965										965	970	981		
1000	1016	1048	1000	1090	1062	1084	1120	1165			1016	1020	1032		

